

ONLEVEL

ZÁBRADLÍ ZE SKLA




chlebny

Floor glass clamp



- | Ø 48.3 mm
- | Height: 185 mm
- | Glass thicknesses 12 - 17.52 mm
- | Sales unit: 1 piece



Model 2448	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	12.2448.185.21	12.2448.185.31

Rubber for Rocket floor glass clamp




- | Sales unit: 1 piece

Model 5000	Plastic
for glass thickness	Art. no.
12 mm	90.5000.012.00
12.76 mm	90.5000.012.76
13.52 mm	90.5000.013.52
15 mm	90.5000.015.00
16.76 mm	90.5000.016.76
17.52 mm	90.5000.017.52

Cover cap for Rocket floor glass clamp



- | Ø 100 mm
- | Sales unit: 2 pieces




Model 0500	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	12.0500.480.21	12.0500.480.31

Fischer fixing anchor FH II 12/50 SK



- | Finish interior application: zinc-plated steel (inside)
- | Finish exterior application: V4A (exterior)
- | Required number per 2500 mm: 17 pieces
- | Sales unit: 25 pieces




Model 3511	zinc-plated steel (inside)	AISI 316 (exterior)
	Art. no.	Art. no.
	91.3511.250.81	91.3511.250.30

HANDRAILS

Handrail round Ø 42.4 mm



- | Length: 6000 mm
- | Diameter Ø 42.4 x 1.5 mm
- | U 24 mm
- | For glass thicknesses up to 21.52 mm
- | Sales unit: 1 piece



Model 2106	AISI 304 (inside)	AISI 316 (outside)
Length	Art. no.	Art. no.
6000	12.2106.421.21	12.2106.421.31

U handrail rubber seals, 24 mm



- | U handrail rubber seals for 24 mm


Model 6542		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6542.008.60
25 mtr	8 - 11 mm	90.6542.208.60
6 mtr	11.5 - 13.5 mm	90.6542.011.60
25 mtr	11.5 - 13.5 mm	90.6542.211.60
6 mtr	15 mm	90.6542.015.60
25 mtr	15 mm	90.6542.215.60
6 mtr	16 - 17.5 mm	90.6542.016.60
25 mtr	16 - 17.5 mm	90.6542.216.60
6 mtr	19 mm	90.6542.019.60
25 mtr	19 mm	90.6542.219.60
6 mtr	20 - 21.5 mm	90.6542.020.60
25 mtr	20 - 21.5 mm	90.6542.220.60

HANDRAILS

Handrail round Ø 48.3 mm



- | Length: 6000 mm
- | Diameter Ø 48.3 x 1.5 mm
- | U 27 mm
- | For glass thicknesses up to 21.52 mm
- | Sales unit: 1 piece



Model 2106	AISI 304 (inside)	AISI 316 (outside)
Length	Art. no.	Art. no.
6000	12.2106.481.21	12.2106.481.31

U handrail rubber seals, 27 mm



- | U handrail rubber seals for 27 mm


Model 6548		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6548.008.60
25 mtr	8 - 11 mm	90.6548.208.60
6 mtr	11.5 - 13.5 mm	90.6548.011.60
25 mtr	11.5 - 13.5 mm	90.6548.211.60
6 mtr	15 mm	90.6548.015.60
25 mtr	15 mm	90.6548.215.60
6 mtr	16 - 17.5 mm	90.6548.016.60
25 mtr	16 - 17.5 mm	90.6548.216.60
6 mtr	19 mm	90.6548.019.60
25 mtr	19 mm	90.6548.219.60
6 mtr	20 - 21.5 mm	90.6548.020.60
25 mtr	20 - 21.5 mm	90.6548.220.60

HANDRAILS

End cap



| Sales unit: 2 pieces




Model 2300	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4	12.2300.421.21	12.2300.421.31
48.3	12.2300.481.21	12.2300.481.31

Connector, straight



| Sales unit: 2 pieces




Model 2200	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4	12.2200.421.21	12.2200.421.31
48.3	12.2200.481.21	12.2200.481.31

Connector 90°



| Sales unit: 2 pieces




Model 2210	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4	12.2210.421.21	12.2210.421.31
48.3	12.2210.481.21	12.2210.481.31

Wall support



| Sales unit: 2 pieces




Model 2220	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4	12.2220.421.21	12.2220.421.31
48.3	12.2220.481.21	12.2220.481.31

HANDRAILS

Corner connector



| Sales unit: 2 pieces




Model 2211	AISI 304 (inside)	AISI 316 (outside)
For diameter	Art. no.	Art. no.
42.4	12.2211.421.21	12.2211.421.31
48.3	12.2211.481.21	12.2211.481.31

Corner connector, upwards adjustable



| Upwards = 25° - 55°
| Sales unit: 2 pieces




Model 2115	AISI 304 (inside)	AISI 316 (outside)
For diameter	Art. no.	Art. no.
42.4	12.2215.421.21	12.2215.421.31
48.3	12.2215.481.21	12.2215.481.31

Corner connector, downwards adjustable



| Downwards = 25° - 55°
| Sales unit: 2 pieces




Model 2116	AISI 304 (inside)	AISI 316 (outside)
For diameter	Art. no.	Art. no.
42.4	12.2216.421.21	12.2216.421.31
48.3	12.2216.481.21	12.2216.481.31

HANDRAILS

Handrail tube



| Length: 5000 mm
| Sales unit: 1 piece




Model 0106	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0105.422.21	12.0105.422.31

Tube connector, straight



| Sales unit: 2 pieces




Model 0200	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0200.422.21	12.0200.422.31

Tube connector 90°



| Sales unit: 2 pieces




Model 0210	AISI 304 (inside)	AISI 316 (outside)	
Diameter	Length	Art. no.	Art. no.
42.4 x 2	30	12.0210.422.21	12.0210.422.31

End cap, flat



| Sales unit: 2 pieces




Model 0300	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0300.422.21	12.0300.422.31

HANDRAILS

End cap, curved



| Sales unit: 2 pieces




Model 0310	AISI 304 (inside)	AISI 316 (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0310.422.21	12.0310.422.31

Glass handrail support



| For glass thicknesses between 12 mm and 26 mm
| Drill hole in glass Ø 18 mm
| Sales unit: 2 pieces




Model 0420	AISI 304 (inside)	RVS 316
Connector	Art. no.	Art. no.
flat	12.0420.000.21	12.0420.000.31
for Ø 42.4	12.0420.420.21	12.0420.420.31

Wall handrail support



| M8 inner thread
| Sales unit: 2 pieces




Model 0400	AISI 304 (inside)	AISI 316 (outside)
Connector	Art. no.	Art. no.
flat	12.0400.000.21	12.0400.000.31
for Ø 42.4	12.0400.420.21	12.0400.420.31

Wall handrail support



| 3 mounting holes
| Sales unit: 2 pieces




Model 0410	AISI 304 (inside)	AISI 316 (outside)
Connector	Art. no.	Art. no.
flat	12.0410.000.21	12.0410.000.31
for Ø 42.4	12.0410.420.21	12.0410.420.31

HANDRAILS

Wall handrail support for welding



- | 3 mounting holes
- | Sales unit: 2 pieces




Model 0450	AISI 304 (inside)	AISI 316 (outside)
	Art. no.	Art. no.
	12.0450.000.21	12.0450.000.31

Handrail U profile, 26 mm



- | Length: 4000 mm
- | 26 x 23 x 2 mm
- | U 22 mm
- | For glass thicknesses up to 17.5 mm
- | Sales unit: 1 piece




Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2114.262.10	11.2114.262.11	11.2114.262.13/16/18

U handrail rubber seals, 22 mm



- | U handrail rubber seals for 22 mm




Model 6526		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6526.008.60
25000	8 - 11 mm	90.6526.208.60
4000	11.5 - 13.5 mm	90.6526.011.60
25000	11.5 - 13.5 mm	90.6526.211.60
4000	15 mm	90.6526.015.60
25000	15 mm	90.6526.215.60
4000	16 - 17.5 mm	90.6526.016.60
25000	16 - 17.5 mm	90.6526.216.60

HANDRAILS

Handrail U profile, 30 mm



- | Length: 4000 mm
- | 30 x 28 x 2 mm
- | U 26 mm
- | For glass thicknesses up to 21.5 mm
- | Sales unit: 1 piece




Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2114.302.10	11.2114.302.11	11.2114.302.13/16/18

U handrail rubber seals, 26 mm



- | U handrail rubber seals for 26 mm




Model 6530		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6530.008.60
25000	8 - 11 mm	90.6530.208.60
4000	11.5 - 13.5 mm	90.6530.011.60
25000	11.5 - 13.5 mm	90.6530.211.60
4000	15 mm	90.6530.015.60
25000	15 mm	90.6530.215.60
4000	16 - 17.5 mm	90.6530.016.60
25000	16 - 17.5 mm	90.6530.216.60
4000	19 mm	90.6530.019.60
25000	19 mm	90.6530.219.60
4000	20 - 21.5 mm	90.6530.020.60
25000	20 - 21.5 mm	90.6530.220.60

HANDRAILS

Handrail U profile, 42 mm



- | Length: 4000 mm
- | 42 x 34 x 3 mm
- | U 36 mm
- | For glass thicknesses up to 31.51 mm
- | Sales unit: 1 piece




Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2114.423.10	11.2114.423.11	11.2114.423.13/16/18

U handrail rubber seals, 36 mm



- | U handrail rubber seals for 36 mm




Model 6540		
Length	Glass thickness	Art. no.
4 mtr	20.5 - 21.5 mm	90.6540.020.60
25 mtr	20.5 - 21.5 mm	90.6540.220.60
4 mtr	24.5 - 25.5 mm	90.6540.024.60
25 mtr	24.5 - 25.5 mm	90.6540.224.60
4 mtr	30.5 - 31.5 mm	90.6540.030.60
25 mtr	30.5 - 31.5 mm	90.6540.230.60

U profile connector



- | Suitable for the 2114 U profile
- | Sales unit: 2 pieces




Model 2200	AISI 316 (inside & outside)
Width	Art. no.
U 22 mm	11.2200.262.30
U 26 mm	11.2200.302.30
U 36 mm	11.2200.423.30

U profile corner connector 90°



- | Suitable for the 2114 U profile
- | Sales unit: 2 pieces



Model 2210	AISI 316 (inside & outside)
Width	Art. no.
U 22 mm	11.2210.262.30
U 26 mm	11.2210.302.30
U 36 mm	11.2210.423.30

HANDRAILS

U profile connector 90°




| Suitable for the 2114 U profile
 | Center axis length each 370 mm
 | Use connectors 11.2200.xxx.30
 | Sales unit: 1 piece

Model 2210	Mill finish	Plain aluminium	RAL coloured
Height x width	Art. no.	Art. no.	Art. no.
26 x 23	11.2210.262.10	11.2210.262.11	11.2210.262.13/16/18
30 x 28	11.2210.302.10	11.2210.302.11	11.2210.302.13/16/18
42 x 34	11.2210.423.10	11.2210.423.11	11.2210.423.13/16/18

End cap, flat



| Suitable for the 2114 U profile
 | Sales unit: 2 pieces




Model 2300	Mill finish	Plain aluminium	RAL coloured
Height x width	Art. no.	Art. no.	Art. no.
26 x 23	11.2300.262.10	11.2300.262.11	11.2300.262.13/16/18
30 x 28	11.2300.302.10	11.2300.302.11	11.2300.302.13/16/18
42 x 34	11.2300.423.10	11.2300.423.11	11.2300.423.13/16/18

Wall connector for handrail



| Sales unit: 2 pieces




Model 2220	Mill finish	Plain aluminium	RAL coloured
Width x Height	Art. no.	Art. no.	Art. no.
26 x 23	11.2220.262.10	11.2220.262.11	11.2220.262.13/16/18
30 x 28	11.2220.302.10	11.2220.302.11	11.2220.302.13/16/18
42 x 34	11.2220.423.10	11.2220.423.11	11.2220.423.13/16/18

U PROFILES

Handrail U profile, 26 mm



| Length: 4000 mm
 | 26 x 20 x 2 mm
 | U 22 mm
 | For glass thicknesses up to 17.5 mm
 | Sales unit: 1 piece




Model 2114	AISI 304 (inside)	AISI 316 (outside)
Length	Art. no.	Art. no.
4000	12.2114.262.21	12.2114.262.31

U handrail rubber seals, 22 mm



| U handrail rubber seals for 22 mm




Model 6526		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6526.008.60
25000	8 - 11 mm	90.6526.208.60
4000	11.5 - 13.5 mm	90.6526.011.60
25000	11.5 - 13.5 mm	90.6526.211.60
4000	15 mm	90.6526.015.60
25000	15 mm	90.6526.215.60
4000	16 - 17.5 mm	90.6526.016.60
25000	16 - 17.5 mm	90.6526.216.60

U PROFILES

Handrail U profile, 30 mm



| Length: 4000 mm
 | 30 x 25 x 2 mm
 | U 26 mm
 | For glass thicknesses up to 21.5 mm
 | Sales unit: 1 piece




Model 2114	AISI 304 (inside)	AISI 316 (outside)
Length	Art. no.	Art. no.
4000	12.2114.302.21	12.2114.302.31

U handrail rubber seals, 26 mm



| U handrail rubber seals for 26 mm




Model 6530		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6530.008.60
25000	8 - 11 mm	90.6530.208.60
4000	11.5 - 13.5 mm	90.6530.011.60
25000	11.5 - 13.5 mm	90.6530.211.60
4000	15 mm	90.6530.015.60
25000	15 mm	90.6530.215.60
4000	16 - 17.5 mm	90.6530.016.60
25000	16 - 17.5 mm	90.6530.216.60
4000	19 mm	90.6530.019.60
25000	19 mm	90.6530.219.60
4000	20 - 21.5 mm	90.6530.020.60
25000	20 - 21.5 mm	90.6530.220.60

U PROFILES

Handrail U profile, 40 mm



| Length: 4000 mm
| 40 x 30 x 2 mm
| U 36 mm
| For glass thicknesses up to 31.5 mm
| Sales unit: 1 piece




Model 2114	AISI 304 (inside)	AISI 316 (outside)
Length	Art. no.	Art. no.
4000	12.2114.402.21	12.2114.402.31

U handrail rubber seals, 36 mm



| U handrail rubber seals for 36 mm




Model 6540		
Length	Glass thickness	Art. no.
4 mtr	20.5 - 21.5 mm	90.6540.020.60
25 mtr	20.5 - 21.5 mm	90.6540.220.60
4 mtr	24.5 - 25.5 mm	90.6540.024.60
25 mtr	24.5 - 25.5 mm	90.6540.224.60
4 mtr	30.5 - 31.5 mm	90.6540.030.60
25 mtr	30.5 - 31.5 mm	90.6540.230.60

U profile end piece



| Length: 390 mm
| Sales unit: 2 pieces




Model 2300	AISI 304 (inside)	AISI 316 (outside)
Height x width	Art. no.	Art. no.
26 x 20	12.2300.262.21	12.2300.262.31
30 x 25	12.2300.302.21	12.2300.302.31
40 x 30	12.2300.402.21	12.2300.402.31

U profile connector 90°



| Length 370 x 370 mm
| Sales unit: 1 piece




Model 2210	AISI 304 (inside)	AISI 316 (outside)
Height x width	Art. no.	Art. no.
26 x 20	12.2210.262.21	12.2210.262.31
30 x 25	12.2210.302.21	12.2210.302.31
40 x 30	12.2210.402.21	12.2210.402.31

HANDRAILS

Handrail



- | 40 x 30 x 1 mm
- | U handrail rubber seals, 24 mm
- | Sales unit: 1 piece




Model 2106	AISI 316 (inside & outside)
Length	Art. no.
6000	12.2106.401.31

U handrail rubber seals, 24 mm



- | U handrail rubber seals for 24 mm




Model 6542		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6542.008.60
25 mtr	8 - 11 mm	90.6542.208.60
6 mtr	11.5 - 13.5 mm	90.6542.011.60
25 mtr	11.5 - 13.5 mm	90.6542.211.60
6 mtr	15 mm	90.6542.015.60
25 mtr	15 mm	90.6542.215.60
6 mtr	16 - 17.5 mm	90.6542.016.60
25 mtr	16 - 17.5 mm	90.6542.216.60
6 mtr	19 mm	90.6542.019.60
25 mtr	19 mm	90.6542.219.60
6 mtr	20 - 21.5 mm	90.6542.020.60
25 mtr	20 - 21.5 mm	90.6542.220.60

HANDRAILS

Handrail corner connector 90°



| 40 x 30 x 1 mm
| Sales unit: 2 pieces




Model 2210	AISI 316 (inside & outside)
Art. no.	
12.2210.401.31	

Corner connector, horizontally adjustable



| For handrail 40 x 30 x 1 mm
| Sales unit: 2 pieces




Model 2212	AISI 316 (inside & outside)
Direction	
horizontal	90° - 180°
Art. no.	
12.2212.401.31	

Corner connector, vertically adjustable



| For handrail 40 x 30 x 1 mm
| Sales unit: 2 pieces




Model 2213	AISI 316 (inside & outside)
Direction	
vertical	90° - 135°
Art. no.	
12.2213.401.31	

Wall connector for handrail



| 40 x 30 x 1 mm
| Sales unit: 2 pieces




Model 2220	AISI 316 (inside & outside)
Art. no.	
12.2220.401.31	

HANDRAILS

End cap for handrail



| 40 x 30 x 1 mm
| Sales unit: 2 pieces




Model 2300 **AISI 316 (inside & outside)**

Art. no.
12.2300.401.31

Handrail tube connector



| 40 x 30 x 1 mm
| Sales unit: 2 pieces



Model 2200 **AISI 316 (inside & outside)**


Art. no.
12.2200.401.31

WOODEN HANDRAILS

Wooden handrail, round Ø 42 mm



| Length: 2500 mm
| Sales unit: 1 piece




Model 0102	Lacquered oak
Art. no.	
15.0102.420.72	

Wooden handrail, round Ø 42 mm



| Length: 2500 mm
| U 24 mm
| Sales unit: 1 piece




Model 2102	Lacquered oak
Art. no.	
15.2102.420.72	

Handrail connector for wooden handrail



| Ø 42 mm
| Length: 50 mm
| Sales unit: 2 pieces




Model 2200	AISI 304 (inside)	AISI 316 (outside)
Art. no.		Art. no.
15.2200.420.21		15.2200.420.31

End cap for wooden handrail



| Ø 42 mm
| Sales unit: 2 pieces



Model 2310	AISI 304 (inside)	AISI 316 (outside)
Art. no.		Art. no.
15.2310.420.21		15.2310.420.31

WOODEN HANDRAILS

End cap tooling




- | For mounting the 2200 handrail connectors model and the 2310 end cap model
- | Sales unit: 1 piece

Model 0100	
Art. no.	
	90.0100.160.00

Wooden handrail, rectangular



- | Length: 2500 mm
- | 60 x 40 mm
- | U 24 mm
- | Sales unit: 1 piece




Model 2122	Lacquered oak
Art. no.	
	15.2122.600.72

Wooden corner piece



- | Center axis length each 380 mm
- | 60 x 40 mm
- | Sales unit: 1 piece




Model 2210	Lacquered oak
Art. no.	
	15.2210.600.72

Wooden End cap



- | 60 x 40 mm
- | Sales unit: 2 pieces




Model 2300	Lacquered oak
Art. no.	
	15.2300.600.72

WOODEN HANDRAILS

U handrail rubber seals, 24 mm



| U handrail rubber seals for 24 mm




Model 6542

Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6542.008.60
25 mtr	8 - 11 mm	90.6542.208.60
6 mtr	11.5 - 13.5 mm	90.6542.011.60
25 mtr	11.5 - 13.5 mm	90.6542.211.60
6 mtr	15 mm	90.6542.015.60
25 mtr	15 mm	90.6542.215.60
6 mtr	16 - 17.5 mm	90.6542.016.60
25 mtr	16 - 17.5 mm	90.6542.216.60
6 mtr	19 mm	90.6542.019.60
25 mtr	19 mm	90.6542.219.60
6 mtr	20 - 21.5 mm	90.6542.020.60
25 mtr	20 - 21.5 mm	90.6542.220.60

Self-adhesive corner protection, wood



| Height 9 mm
| Thickness 4 mm
| Sales unit: 1 piece



Model 2112


2500 mm

Width	For glass thicknesses	Art. no.
14	10 - 11.5 mm	15.2112.010.72
16	12 - 13.5 mm	15.2112.012.72
20	15 - 17.5 mm	15.2112.016.72
24	19 - 21.5 mm	15.2112.020.72
28	24 - 25.5 mm	15.2112.024.72

Corner protection, 90° corner, self-adhesive, wood



| Height 9 mm
| Thickness 4 mm
| Center axis length each 370 mm
| Sales unit: 1 piece



Model 2210

Lacquered oak

Width	For glass thicknesses	Art. no.
14	10 - 11.5 mm	15.2210.010.72
16	12 - 13.5 mm	15.2210.012.72
20	15 - 17.5 mm	15.2210.016.72
24	19 - 21.5 mm	15.2210.020.72
28	24 - 25.5 mm	15.2210.024.72





Chlebny, s. r. o.

Jana Palacha / Devotyho 1625

530 02 Pardubice

Česká republika

t +420 46 66 34 170

e info@chlebny.cz

i www.zabradlizeska.cz