

ONLEVEL

ZÁBRADLÍ ZE SKLA



chlebny

ROCKET | FLOOR GLASS CLAMP

Floor glass clamp



| Ø 48.3 mm
| Height: 185 mm
| Sales unit: 1 piece

Model 2448	V2A (inside)	V4A (outside)
	Art. no.	Art. no.
	12.2448.185.21	12.2448.185.31

Rubber for Rocket floor glass clamp



| Sales unit: 1 piece

Model 5000	Plastic
for glass thickness	Art. no.
12 mm	90.5000.012.00
12.76 mm	90.5000.012.76
13.52 mm	90.5000.013.52
15 mm	90.5000.015.00
16.76 mm	90.5000.016.76
17.52 mm	90.5000.017.52

Cover cap for Rocket floor glass clamp



| Ø 100 mm
| Sales unit: 2 pieces

Model 0500	V2A (inside)	V4A (outside)
	Art. no.	Art. no.
	12.0500.480.21	12.0500.480.31

PERFECT PROTECTION.

If you are looking for a simple and elegant corner protection for your glass balustrades, the **ONLEVEL** handrail is the ideal solution.

It can be easily mounted onto different surfaces: from stainless steel and aluminium up to wood – you can design as you like and leave your individual mark on your project.

Essential Features

- | Simple mounting
- | Simple replacement
- | Great variety of materials and colours



Different finishes available,
suited to your profile

Available in all diameters
for your desired
glass thickness

HANDRAILS

Handrail round Ø 42.4 mm



- | Length: 6000 mm
- | Diameter Ø 42.4 x 1.5 mm
- | U 24 mm
- | For glass thicknesses up to 21.52 mm
- | Sales unit: 1 piece

Model 2106	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
6000	11.2106.421.10	11.2106.421.11	11.2106.421.13/16/18

U handrail rubber seals, 24 mm

- | U handrail rubber seals for 24 mm



Model 6542		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6542.008.60
25 mtr	8 - 11 mm	90.6542.208.60
6 mtr	11.5 - 13.5 mm	90.6542.011.60
25 mtr	11.5 - 13.5 mm	90.6542.211.60
6 mtr	15 mm	90.6542.015.60
25 mtr	15 mm	90.6542.215.60
6 mtr	16 - 17.5 mm	90.6542.016.60
25 mtr	16 - 17.5 mm	90.6542.216.60
6 mtr	19 mm	90.6542.019.60
25 mtr	19 mm	90.6542.219.60
6 mtr	20-21.5 mm	90.6542.020.60
25 mtr	20 - 21.5 mm	90.6542.220.60

HANDRAILS

Handrail round Ø 48.3 mm



| Length: 6000 mm
| Diameter Ø 48.3 x 1.5 mm
| U 27 mm
| For glass thicknesses up to 21.52 mm
| Sales unit: 1 piece

Model 2106	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
6000	11.2106.481.10	11.2106.481.11	11.2106.481.13/16/18

U handrail rubber seals, 27 mm



| U handrail rubber seals for 27 mm

Model 6548		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6548.008.60
25 mtr	8 - 11 mm	90.6548.208.60
6 mtr	11.5 - 13.5 mm	90.6548.011.60
25 mtr	11.5 - 13.5 mm	90.6548.211.60
6 mtr	15 mm	90.6548.015.60
25 mtr	15 mm	90.6548.215.60
6 mtr	16 - 17.5 mm	90.6548.016.60
25 mtr	16 - 17.5 mm	90.6548.216.60
6 mtr	19 mm	90.6548.019.60
25 mtr	19 mm	90.6548.219.60
6 mtr	20 - 21.5 mm	90.6548.020.60
25 mtr	20 - 21.5 mm	90.6548.220.60

HANDRAILS

End cap, flat



| Suitable for handrail 2106
| Sales unit: 2 pieces

Model 2300	Mill finish	Plain aluminium	RAL coloured
Diameter	Art. no.	Art. no.	Art. no.
42.4	11.2300.421.10	11.2300.421.11	11.2300.421.13/16/18
48.3	11.2300.481.10	11.2300.481.11	11.2300.481.13/16/18

Connector 90°, round



| Suitable for handrail 2106
| Distance to angle centre 370 mm each
| Use connecting pins 90.7001.540.31
| Sales unit: 1 piece

Model 2210	Mill finish	Plain aluminium	RAL coloured
Diameter	Art. no.	Art. no.	Art. no.
42.4	11.2210.421.10	11.2210.421.11	11.2210.421.13/16/18
48.3	11.2210.481.10	11.2210.481.11	11.2210.481.13/16/18

Extension pin



| Suitable for handrail 2106
| Length: 65 mm
| Diameter: Ø 5 mm
| Sales unit: 8 pieces

Model 7001	V4A (inside & outside)
	Art. no.
	90.7001.540.31

Wall connector for handrail



| Sales unit: 2 pieces

Model 2220	Mill finish	Plain aluminium	RAL coloured
Diameter	Art. no.	Art. no.	Art. no.
42.4	11.2220.421.10	11.2220.421.11	11.2220.421.13/16/18
48.3	11.2220.481.10	11.2220.481.11	11.2220.481.13/16/18

HANDRAILS

Handrail round Ø 42.4 mm



- | Length: 6000 mm
- | Diameter Ø 42.4 x 1.5 mm
- | U 24 mm
- | For glass thicknesses up to 21.52 mm
- | Sales unit: 1 piece

Model 2106	V2A (inside)	V4A (outside)
Length	Art. no.	Art. no.
6000	12.2106.421.21	12.2106.421.31

U handrail rubber seals, 24 mm



- | U handrail rubber seals for 24 mm

Model 6542		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6542.008.60
25 mtr	8 - 11 mm	90.6542.208.60
6 mtr	11.5 - 13.5 mm	90.6542.011.60
25 mtr	11.5 - 13.5 mm	90.6542.211.60
6 mtr	15 mm	90.6542.015.60
25 mtr	15 mm	90.6542.215.60
6 mtr	16 - 17.5 mm	90.6542.016.60
25 mtr	16 - 17.5 mm	90.6542.216.60
6 mtr	19 mm	90.6542.019.60
25 mtr	19 mm	90.6542.219.60
6 mtr	20-21.5 mm	90.6542.020.60
25 mtr	20 - 21.5 mm	90.6542.220.60

HANDRAILS

Handrail round Ø 48.3 mm



- | Length: 6000 mm
- | Diameter Ø 48.3 x 1.5 mm
- | U 27 mm
- | For glass thicknesses up to 21.52 mm
- | Sales unit: 1 piece

Model 2106	V2A (inside)	V4A (outside)
Length	Art. no.	Art. no.
6000	12.2106.481.21	12.2106.481.31

U handrail rubber seals, 27 mm



- | U handrail rubber seals for 27 mm

Model 6548		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6548.008.60
25 mtr	8 - 11 mm	90.6548.208.60
6 mtr	11.5 - 13.5 mm	90.6548.011.60
25 mtr	11.5 - 13.5 mm	90.6548.211.60
6 mtr	15 mm	90.6548.015.60
25 mtr	15 mm	90.6548.215.60
6 mtr	16 - 17.5 mm	90.6548.016.60
25 mtr	16 - 17.5 mm	90.6548.216.60
6 mtr	19 mm	90.6548.019.60
25 mtr	19 mm	90.6548.219.60
6 mtr	20 - 21.5 mm	90.6548.020.60
25 mtr	20 - 21.5 mm	90.6548.220.60

HANDRAILS

End cap

| Sales unit: 2 pieces



Model 2300	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4	12.2300.421.21	12.2300.421.31
48.3	12.2300.481.21	12.2300.481.31

Connector, straight

| Sales unit: 2 pieces



Model 2200	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4	12.2200.421.21	12.2200.421.31
48.3	12.2200.481.21	12.2200.481.31

Connector 90°

| Sales unit: 2 pieces



Model 2210	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4	12.2210.421.21	12.2210.421.31
48.3	12.2210.481.21	12.2210.481.31

Wall support

| Sales unit: 2 pieces



Model 2220	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4	12.2220.421.21	12.2220.421.31
48.3	12.2220.481.21	12.2220.481.31

HANDRAILS

Corner connector



| Sales unit: 2 pieces

Model 2211	V2A (inside)	V4A (outside)
For diameter	Art. no.	Art. no.
42.4	12.2211.421.21	12.2211.421.31
48.3	12.2211.481.21	12.2211.481.31

Corner connector, upwards adjustable



| Upwards = 25° - 55°
| Sales unit: 2 pieces

Model 2115	V2A (inside)	V4A (outside)
For diameter	Art. no.	Art. no.
42.4	12.2215.421.21	12.2215.421.31
48.3	12.2215.481.21	12.2215.481.31

Corner connector, downwards adjustable



| Downwards = 25° - 55°
| Sales unit: 2 pieces

Model 2116	V2A (inside)	V4A (outside)
For diameter	Art. no.	Art. no.
42.4	12.2216.421.21	12.2216.421.31
48.3	12.2216.481.21	12.2216.481.31

HANDRAILS

Handrail tube

| Length: 6000 mm
| Sales unit: 1 piece



Model 0106	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0106.422.21	12.0106.422.31

Tube connector, straight

| Sales unit: 2 pieces



Model 0200	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0200.422.21	12.0200.422.31

Tube connector 90°

| Sales unit: 2 pieces



Model 0210	V2A (inside)	V4A (outside)	
Diameter	Length	Art. no.	Art. no.
42.4 x 2	30	12.0210.422.21	12.0210.422.31

End cap, flat

| Sales unit: 2 pieces



Model 0300	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0300.422.21	12.0300.422.31

HANDRAILS

End cap, curved

| Sales unit: 2 pieces



Model 0310	V2A (inside)	V4A (outside)
Diameter	Art. no.	Art. no.
42.4 x 2	12.0310.422.21	12.0310.422.31

Glass handrail support

| For glass thicknesses between 12 mm and 26 mm
| Drill hole in glass Ø 18 mm
| Sales unit: 2 pieces



Model 0420	V2A (inside)	RVS 316
Connector	Art. no.	Art. no.
flat	12.0420.000.21	12.0420.000.31
for Ø42.4	12.0420.420.21	12.0420.420.31

Wall handrail support

| M8 inner thread
| Sales unit: 2 pieces



Model 0400	V2A (inside)	V4A (outside)
Connector	Art. no.	Art. no.
flat	12.0400.000.21	12.0400.000.31
for Ø42.4	12.0400.420.21	12.0400.420.31

Wall handrail support

| 3 mounting holes
| Sales unit: 2 pieces



Model 0410	V2A (inside)	V4A (outside)
Connector	Art. no.	Art. no.
flat	12.0410.000.21	12.0410.000.31
for Ø42.4	12.0410.420.21	12.0410.420.31

HANDRAILS

Wall handrail support for welding



- | 3 mounting holes
- | Sales unit: 2 pieces

Model 0450	V2A (inside)	V4A (outside)
	Art. no.	Art. no.
	12.0450.000.21	12.0450.000.31

Handrail U profile, 26 mm



- | Length: 4000 mm
- | 26 x 23 x 2 mm
- | U 22 mm
- | For glass thicknesses up to 17.5 mm
- | Sales unit: 1 piece

Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2114.262.10	11.2114.262.11	11.2114.262.13/16/18

U handrail rubber seals, 22 mm



- | U handrail rubber seals for 22 mm

Model 6526		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6526.008.60
25000	8 - 11 mm	90.6526.208.60
4000	11.5 - 13.5 mm	90.6526.011.60
25000	11.5 - 13.5 mm	90.6526.211.60
4000	15 mm	90.6526.015.60
25000	15 mm	90.6526.215.60
4000	16 - 17.5 mm	90.6526.016.60
25000	16 - 17.5 mm	90.6526.216.60

HANDRAILS

Handrail U profile, 30 mm



| Length: 4000 mm
| 30 x 28 x 2 mm
| U 26 mm
| For glass thicknesses up to 21.5 mm
| Sales unit: 1 piece

Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2114.302.10	11.2114.302.11	11.2114.302.13/16/18

U handrail rubber seals, 26 mm



| U handrail rubber seals for 26 mm

Model 6530		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6530.008.60
25000	8 - 11 mm	90.6530.208.60
4000	11.5 - 13.5 mm	90.6530.011.60
25000	11.5 - 13.5 mm	90.6530.211.60
4000	15 mm	90.6530.015.60
25000	15 mm	90.6530.215.60
4000	16 - 17.5 mm	90.6530.016.60
25000	16 - 17.5 mm	90.6530.216.60
4000	19 mm	90.6530.019.60
25000	19 mm	90.6530.219.60
4000	20 - 21.5 mm	90.6530.020.60
25000	20 - 21.5 mm	90.6530.220.60

HANDRAILS

Handrail U profile, 42 mm



| Length: 4000 mm
| 42 x 34 x 3 mm
| U 36 mm
| For glass thicknesses up to 21.51 mm
| Sales unit: 1 piece

Model 2114	Mill finish	Plain aluminium	RAL coloured
Length	Art. no.	Art. no.	Art. no.
4000	11.2114.423.10	11.2114.423.11	11.2114.423.13/16/18

U handrail rubber seals, 36 mm



| U handrail rubber seals for 36 mm

Model 6540		
Length	Glass thickness	Art. no.
4 mtr	20.5 - 21.5 mm	90.6540.020.60
25 mtr	20.5 - 21.5 mm	90.6540.220.60
4 mtr	24.5 - 25.5 mm	90.6540.024.60
25 mtr	24.5 - 25.5 mm	90.6540.224.60
4 mtr	30.5 - 31.5 mm	90.6540.030.60
25 mtr	30.5 - 31.5 mm	90.6540.230.60

U profile connector



| Suitable for the 2114 U profile
| Sales unit: 2 pieces

Model 2200	V4A (inside & outside)
Width	Art. no.
U 22 mm	11.2200.262.30
U 26 mm	11.2200.302.30
U 36 mm	11.2200.423.30

U profile connector, 135°



| Suitable for the 2114 U profile
| Sales unit: 2 pieces

Model 2212	V4A (inside & outside)
Width	Art. no.
U 22 mm	11.2212.262.30
U 26 mm	11.2212.302.30
U 36 mm	11.2212.423.30

HANDRAILS

U profile corner connector 90°



| Suitable for the 2114 U profile
| Sales unit: 2 pieces

Model 2210	V4A (inside & outside)
Width	Art. no.
U 22 mm	11.2210.262.30
U 26 mm	11.2210.302.30
U 36 mm	11.2210.423.30

U profile connector 90°



| Suitable for the 2114 U profile
| Use connectors 11.2200.263.xx
| Sales unit: 1 piece

Model 2210	Mill finish	Plain aluminium	RAL coloured
Height x width	Art. no.	Art. no.	Art. no.
26 x 23	11.2210.262.10	11.2210.262.11	11.2210.262.13/16/18
30 x 28	11.2210.302.10	11.2210.302.11	11.2210.302.13/16/18
42 x 34	11.2210.423.10	11.2210.423.11	11.2210.423.13/16/18

End cap, flat



| Suitable for the 2114 U profile
| Sales unit: 2 pieces

Model 2300	Mill finish	Plain aluminium	RAL coloured
Height x width	Art. no.	Art. no.	Art. no.
23 x 26	11.2300.262.10	11.2300.262.11	11.2300.262.13/16/18
28 x 30	11.2300.302.10	11.2300.302.11	11.2300.302.13/16/18
34 x 42	11.2300.423.10	11.2300.423.11	11.2300.423.13/16/18

U PROFILES

Wall connector for handrail



| Sales unit: 2 pieces



Model 2220	Mill finish	Plain aluminium	RAL coloured
Height x width	Art. no.	Art. no.	Art. no.
23 x 26	11.2220.262.10	11.2220.262.11	11.2220.262.13/16/18
28 x 30	11.2220.302.10	11.2220.302.11	11.2220.302.13/16/18
34 x 42	11.2220.423.10	11.2220.423.11	11.2220.423.13/16/18

Handrail U profile, 26 mm

| Length: 4000 mm
| 26 x 20 x 2 mm
| U 22 mm
| For glass thicknesses up to 17.5 mm
| Sales unit: 1 piece



Model 2114	V2A (inside)	V4A (outside)
Length	Art. no.	Art. no.
4000	12.2114.262.21	12.2114.262.31

U handrail rubber seals, 22 mm

| U handrail rubber seals for 22 mm



Model 6526		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6526.008.60
25000	8 - 11 mm	90.6526.208.60
4000	11.5 - 13.5 mm	90.6526.011.60
25000	11.5 - 13.5 mm	90.6526.211.60
4000	15 mm	90.6526.015.60
25000	15 mm	90.6526.215.60
4000	16 - 17.5 mm	90.6526.016.60
25000	16 - 17.5 mm	90.6526.216.60

U PROFILES

Handrail U profile, 30 mm



| Length: 4000 mm
| 30 x 25 x 2 mm
| U 26 mm
| For glass thicknesses up to 21.5 mm
| Sales unit: 1 piece

Model 2114	V2A (inside)	V4A (outside)
Length	Art. no.	Art. no.
4000	12.2114.302.21	12.2114.302.31

U handrail rubber seals, 26 mm



| U handrail rubber seals for 26 mm

Model 6530		
Length	Glass thickness	Art. no.
4000	8 - 11 mm	90.6530.008.60
25000	8 - 11 mm	90.6530.208.60
4000	11.5 - 13.5 mm	90.6530.011.60
25000	11.5 - 13.5 mm	90.6530.211.60
4000	15 mm	90.6530.015.60
25000	15 mm	90.6530.215.60
4000	16 - 17.5 mm	90.6530.016.60
25000	16 - 17.5 mm	90.6530.216.60
4000	19 mm	90.6530.019.60
25000	19 mm	90.6530.219.60
4000	20 - 21.5 mm	90.6530.020.60
25000	20 - 21.5 mm	90.6530.220.60

U PROFILES

Handrail U profile, 40 mm



| Length: 4000 mm
| 40 x 30 x 2 mm
| U 36 mm
| For glass thicknesses up to 31.5 mm
| Sales unit: 1 piece

Model 2114	V2A (inside)	V4A (outside)
Length	Art. no.	Art. no.
4000	12.2114.402.21	12.2114.402.31

U handrail rubber seals, 36 mm



| U handrail rubber seals for 36 mm

Model 6540		
Length	Glass thickness	Art. no.
4 mtr	20.5 - 21.5 mm	90.6540.020.60
25 mtr	20.5 - 21.5 mm	90.6540.220.60
4 mtr	24.5 - 25.5 mm	90.6540.024.60
25 mtr	24.5 - 25.5 mm	90.6540.224.60
4 mtr	30.5 - 31.5 mm	90.6540.030.60
25 mtr	30.5 - 31.5 mm	90.6540.230.60

U profile end piece



| Length: 390 mm
| Sales unit: 2 piece

Model 2300	V2A (inside)	V4A (outside)
Height x width	Art. no.	Art. no.
26 x 20	12.2300.262.21	12.2300.262.31
30 x 25	12.2300.302.21	12.2300.302.31
40 x 30	12.2300.402.21	12.2300.402.31

U profile connector 90°



| Length 370 x 370 mm
| Sales unit: 1 piece

Model 2210	V2A (inside)	V4A (outside)
Height x width	Art. no.	Art. no.
26 x 20	12.2210.262.21	12.2210.262.31
30 x 25	12.2210.302.21	12.2210.302.31
40 x 30	12.2210.402.21	12.2210.402.31

HANDRAILS

Handrail



| 40 x 30 x 1 mm
| U handrail rubber seals, 24 mm
| Sales unit: 1 piece

Model 2106	V4A (inside & outside)
Length	Art. no.
6000	12.2106.401.31

U handrail rubber seals, 24 mm

| U handrail rubber seals for 24 mm



Model 6542		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6542.008.60
25 mtr	8 - 11 mm	90.6542.208.60
6 mtr	11.5 - 13.5 mm	90.6542.011.60
25 mtr	11.5 - 13.5 mm	90.6542.211.60
6 mtr	15 mm	90.6542.015.60
25 mtr	15 mm	90.6542.215.60
6 mtr	16 - 17.5 mm	90.6542.016.60
25 mtr	16 - 17.5 mm	90.6542.216.60
6 mtr	19 mm	90.6542.019.60
25 mtr	19 mm	90.6542.219.60
6 mtr	20-21.5 mm	90.6542.020.60
25 mtr	20 - 21.5 mm	90.6542.220.60

HANDRAILS

Handrail corner connector 90°



| 40 x 30 x 1 mm
| Sales unit: 2 pieces

Model 2210	V4A (inside & outside)
Art. no.	
12.2210.401.31	

Corner connector, horizontally adjustable



| For handrail 40 x 30 x 1 mm
| Sales unit: 2 piece

Model 2212	V4A (inside & outside)
Direction	
Art. no.	Art. no.
horizontal	90° - 180°
12.2212.401.31	

Corner connector, vertically adjustable



| For handrail 40 x 30 x 1 mm
| Sales unit: 2 piece

Model 2213	V4A (inside & outside)
Direction	
Art. no.	
vertical	90° - 135°
12.2213.401.31	

Wall connector for handrail



| 40 x 30 x 1 mm
| Sales unit: 2 pieces

Model 2220	V4A (inside & outside)
Art. no.	
12.2220.401.31	

HANDRAILS

End cap for handrail



| 40 x 30 x 1 mm
| Sales unit: 2 pieces

Model 2300	V4A (inside & outside)
Art. no.	
12.2300.401.31	

Handrail tube connector



| 40 x 30 x 1 mm
| Sales unit: 2 pieces

Model 2200	V4A (inside & outside)
Art. no.	
12.2200.401.31	

WOODEN HANDRAILS

Wooden handrail, round Ø 42 mm



| Length: 2500 mm
| Sales unit: 1 piece

Model 2122	Lacquered birch	Lacquered ash	Lacquered oak
	Art. no.	Art. no.	Art. no.
	15.0102.420.70	15.0102.420.71	15.0102.420.72

Wooden handrail, round Ø 42 mm



| Length: 2500 mm
| U 24 mm
| Sales unit: 1 piece

Model 2102	Lacquered birch	Lacquered ash	Lacquered oak
	Art. no.	Art. no.	Art. no.
	15.2102.420.70	15.2102.420.71	15.2102.420.72

Wooden handrail, rectangular



| Length: 2500 mm
| 60 x 40 mm
| U 24 mm
| Sales unit: 1 piece

Model 2122	Lacquered birch	Lacquered ash	Lacquered oak
	Art. no.	Art. no.	Art. no.
	15.2122.600.70	15.2122.600.71	15.2122.600.72

Handrail connector for wooden handrail



| Ø 42 mm
| Sales unit: 2 pieces

Model 2200	V2A (inside)	V4A (outside)
	Art. no.	Art. no.
	15.2200.420.21	15.2200.420.31

WOODEN HANDRAILS

End cap for wooden handrail



| Ø 42 mm
| Sales unit: 2 pieces

Model 2310	V2A (inside)	V4A (outside)
	Art. no.	Art. no.
	15.2310.420.21	15.2310.420.31

End cap tooling



| For mounting the 2200 handrail connectors model and the 2310 end cap model
| Sales unit: 1 piece

Model 0100	
	Art. no.
	90.0100.160.00

U handrail rubber seals, 24 mm



| U handrail rubber seals for 24 mm

Model 6542		
Length	Glass thickness	Art. no.
6 mtr	8 - 11 mm	90.6542.008.60
25 mtr	8 - 11 mm	90.6542.208.60
6 mtr	11.5 - 13.5 mm	90.6542.011.60
25 mtr	11.5 - 13.5 mm	90.6542.211.60
6 mtr	15 mm	90.6542.015.60
25 mtr	15 mm	90.6542.215.60
6 mtr	16 - 17.5 mm	90.6542.016.60
25 mtr	16 - 17.5 mm	90.6542.216.60
6 mtr	19 mm	90.6542.019.60
25 mtr	19 mm	90.6542.219.60
6 mtr	20-21.5 mm	90.6542.020.60
25 mtr	20 - 21.5 mm	90.6542.220.60





Chlebny, s. r. o.

Jana Palacha / Devotyho 1625

530 02 Pardubice

Česká republika

t +420 46 66 34 170

e info@chlebny.cz

i www.zabradlizeska.cz